Date Released: 3/13/2023 8:55:17PM

Report #: 688

Grandpa's Cookies

Sample #: 456, Weight: 28.00g, Unit Count:

Order #: X230308-0002

Category/Type: Plant, Flower - Cured Date Collected: 3/8/2023 4:51:15PM Date Received: 3/8/2023 4:56:53PM Date Analyzed: 3/13/2023 8:13:49PM Regulator Sample ID: GC12O1A Regulator Source Package ID: GC12O1A

Regulator Batch ID: GC12O1A



Total Cannabinoids 22.42 % 224.2 mg/g



Microbials **PASS**



Total THC 17.52 % 175.2 mg/g



PASS



Total CBD 0.08 % 0.8 mg/g



Total Terpenes 1.5 %



Moisture 8.7 %



Heavy Metals **PASS**



Mycotoxins PASS



) Ö		
atter	Water A	ctivity
	PASS	3

Date Completed: 03/13/2023 8:13PM

Potency Analysis by HPLC

Total Cannabinoids: 22.42 % - 224.2 mg/g

Total THC: 17.52 % - 175.2 mg/g Total CBD: 0.08 % - 0.8 mg/g

Compound	CAS#	LOQ (%)	%	mg/g
THCa	23978-85-0	0.001	19.70	197.0
CBGa	25555-57-1	0.001	2.31	23.1
d9-THC	1972-08-3	0.001	0.24	2.4
CBDa	1244-58-2	0.001	0.07	0.7
CBG	25654-31-3	0.001	0.06	0.6
CBD	13956-29-1	0.001	0.02	0.2
CBDV	24274-48-4	0.001	0.02	0.2
d8-THC	5957-75-5	0.001	ND	ND
d10-THC	95543-62-7	0.001	ND	ND
THCV	31262-37-0	0.001	ND	ND
CBC	20675-51-8	0.001	ND	ND
CBN	521-35-7	0.001	ND	ND

Relative Concentration

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND.

Total CBD = CBD + (0.877*CBDa)

Total THC = d9-THC + d8-THC + d10-THC + (0.877*THCa) d8-THC is an abbreviation for delta-8 tetrahydrocannabinol.

d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above. Amended to include definition of THC.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com License #: OCM-PPCL-2022-00007





ample #: 456					Grandpa's	Cool
erpenes by HS-GC-MS		yophyllene	Myrcene	Humulene	Date Completed: 03/10/2023	3:51PN
Compound	CAS#	LOQ (%)	%	Relative Concentration		
trans-Caryophyllene	87-44-5	0.1	0.6			
alpha-Humulene	6753-98-6	0.1	0.2			
beta-Myrcene	123-35-3	0.1	0.2			
alpha-Bisabolol	515-69-5	0.1	0.1			
alpha-Farnesene	502-61-4	0.1	0.1			
beta-Farnesene	18794-84-8	0.1	0.1			
R(+)-Limonene	5989-27-5	0.1	0.1			
Valencene	4630-07-3	0.1	0.1			
(-)-Borneol	464-45-9	0.1	ND			
(-)-Caryophyllene Oxide	1139-30-6	0.1	ND			
(-)-Isopulegol	89-79-2	0.1	ND			
(+)-Borneol	464-43-7	0.1	ND			
(+)-Cedrol	77-53-2	0.1	ND			
(1R)-(+)-Camphor	464-49-3	0.1	ND			
3-Carene	13466-78-9	0.1	ND			
alpha-Cedrene	469-61-4	0.1	ND			
alpha-Pinene	80-56-8	0.1	ND			
alpha-Terpinene	99-86-5	0.1	ND			
alpha-Terpineol	98-55-5	0.1	ND			
beta-Pinene	127-91-3	0.1	ND			
Camphene	79-92-5	0.1	ND			
cis-Nerolidol	142-50-7	0.1	ND			

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above. Amended to include definition of THC.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com License #: OCM-PPCL-2022-00007





Sample #: 456	Grandpa's Cookies
---------------	-------------------

Compound	CAS#	LOQ (%)	%	
cis-Ocimene	3338-55-4	0.1	ND	
Endo-Fenchyl Alcohol	14575-74-7	0.1	ND	
Eucalyptol	470-82-6	0.1	ND	
Fenchone	1195-79-5	0.1	ND	
gamma-Terpinene	99-85-4	0.1	ND	
gamma-Terpineol	586-81-2	0.1	ND	
Geraniol	106-24-1	0.1	ND	
Geranyl Acetate	105-87-3	0.1	ND	
Guaiol	489-86-1	0.1	ND	
Hexahydro Thymol	15356-70-4	0.1	ND	
Linalool	78-70-6	0.1	ND	
Nerol	106-25-2	0.1	ND	
p-Mentha-1,5-diene		0.1	ND	
Pulegone	89-82-7	0.1	ND	
Sabinene	3387-41-5	0.1	ND	
Sabinene Hydrate	546-79-2	0.1	ND	
Terpinolene	586-62-9	0.1	ND	
trans-Nerolidol	40716-66-3	0.1	ND	
trans-Ocimene	3779-61-1	0.1	ND	

Foreign Matter by Microscopy	Pass	3	Date Completed: 03/10/2023 4:11 pm			
Compound	LOQ (%)	Limits (%)	Result (%)	Status		
% Foreign Matter	0.001	2.0	ND	Pass		
Mammalian Exreta	0.001	0.03	ND	Pass		
Stems	0.001	5.0	ND	Pass		
Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.						

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above. Amended to include definition of THC.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com License #: OCM-PPCL-2022-00007





M	oisture by Analyzer	Pass Date Completed: 03/10/202		1: 03/10/2023 4:11 pm		
	Compound	LOQ (%)	Limits (%)	Result (%)	Status	
	Moisture	1.2	5 - 15	8.7	Pass	
Co	Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.					

Water	Vater Activity by Meter Pass		Date Completed	: 03/10/2023 4:11 pm		
Com	npound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status	
Wat	er Activity	0.05	0.65	0.50	Pass	
Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.						

sticides by LCMSMS	Pass	3	Date Completed:	: 03/10/2023 3:48 p
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status
Abamectin	0.01	0.5	ND	Pass
Acephate	0.01	0.4	ND	Pass
Acequinocyl	0.01	2	ND	Pass
Acetamiprid	0.01	0.2	ND	Pass
Aldicarb	0.01	0.4	ND	Pass
Azadirachtin	0.01	1	ND	Pass
Azoxystrobin	0.01	0.2	ND	Pass
Bifenazate	0.01	0.2	ND	Pass
Bifenthrin	0.01	0.2	ND	Pass
Boscalid	0.01	0.4	ND	Pass
Carbaryl	0.01	0.2	ND	Pass
Carbofuran	0.01	0.2	ND	Pass
Chlorantraniliprole	0.01	0.2	ND	Pass
Chlormequat Chloride	0.01	1	ND	Pass
Chlorpyrifos	0.01	0.2	ND	Pass
Clofentezine	0.01	0.2	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above. Amended to include definition of THC.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com License #: OCM-PPCL-2022-00007





sticides by LCMSMS	Pass	3	Date Completed: 03/10/2023 3:48		
Compound	LOQ (µg/g)	Limits (µg/g)	Result (μg/g)	Status	
Coumaphos	0.01	1	ND	Pass	
Cyfluthrin	0.01	1	ND	Pass	
Cypermethrin	0.01	1	ND	Pass	
Daminozide	0.01	1	ND	Pass	
Diazinon	0.01	0.2	ND	Pass	
Dichlorvos	0.01	1	ND	Pass	
Dimethoate	0.01	0.2	ND	Pass	
Dimethomorph	0.01	1	ND	Pass	
Ethoprophos	0.01	0.2	ND	Pass	
Etofenprox	0.01	0.4	ND	Pass	
Etoxazole	0.01	0.2	ND	Pass	
Fenhexamid	0.01	1	ND	Pass	
Fenoxycarb	0.01	0.2	ND	Pass	
Fenpyroximate	0.01	0.4	ND	Pass	
Fipronil	0.01	0.4	ND	Pass	
Flonicamid	0.01	1	ND	Pass	
Fludioxonil	0.01	0.4	ND	Pass	
Hexythiazox	0.01	1	ND	Pass	
lmazalil	0.01	0.2	ND	Pass	
Imidacloprid	0.01	0.4	ND	Pass	
Indolebutyric Acid	0.01	1	ND	Pass	
Kresoxim-methyl	0.01	0.4	ND	Pass	
Malathion	0.01	0.2	ND	Pass	
Metalaxyl	0.01	0.2	ND	Pass	
Methiocarb	0.01	0.2	ND	Pass	
Mevinphos	0.01	1	ND	Pass	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above. Amended to include definition of THC.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com License #: OCM-PPCL-2022-00007





Pesticides by LCMSMS	Pass	;	Date Completed:	03/10/2023 3:48 pr
Compound	LOQ (μg/g)	Limits (μg/g)	Result (μg/g)	Status
Myclobutanil	0.01	0.2	ND	Pass
Naled	0.01	0.5	ND	Pass
Oxamyl	0.01	1	ND	Pass
Paclobutrazol	0.01	0.4	ND	Pass
Permethrin	0.01	0.2	ND	Pass
Phosmet	0.01	0.2	ND	Pass
Piperonyl Butoxide	0.01	2	ND	Pass
Prallethrin	0.01	0.2	ND	Pass
Propiconazole	0.01	0.4	ND	Pass
Propoxur	0.01	0.2	ND	Pass
Pyrethrins Total	0.01	1	ND	Pass
Pyridaben	0.01	0.2	ND	Pass
Spinetoram	0.01	1	ND	Pass
Spinosad Total	0.01	.2	ND	Pass
Spiromesifen	0.01	0.2	ND	Pass
Spirotetramat	0.01	0.2	ND	Pass
Spiroxamine	0.01	0.2	ND	Pass
Tebuconazole	0.01	0.4	ND	Pass
Thiacloprid	0.01	0.2	ND	Pass
Thiamethoxam	0.01	0.2	ND	Pass
Trifloxystrobin	0.01	0.2	ND	Pass
Comment: Pesticides tested by LCMSMS by using P-NY15	50. Unless otherwise stated, all QC passed.			

Mycotoxins by LCMSMS		Pass		Date Completed: 03/10/2023 3:48 pm	
	Compound	LOQ (µg/g)	Limits (μg/g)	Result (µg/g)	Status
	Aflatoxin B1	0.005	0.020	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above. Amended to include definition of THC.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com License #: OCM-PPCL-2022-00007





Mycotoxins by LCMSMS		Pass		Date Completed: 03/10/2023 3:48 pm	
	Compound	LOQ (μg/g)	Limits (μg/g)	Result (μg/g)	Status
	Aflatoxin B2	0.005	0.020	ND	Pass
	Aflatoxin G1	0.005	0.020	ND	Pass
	Aflatoxin G2	0.005	0.020	ND	Pass
	Ochratoxin A	0.005	0.020	ND	Pass
	Total Aflatoxin	0.005	0.020	ND	Pass
Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.					

leavy Metals by ICPMS	Pass	}	Date Completed: 03/13/2023 5:39 pm	
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status
Antimony	0.01	2	ND	Pass
Arsenic	0.001	0.2	ND	Pass
Cadmium	0.0015	0.3	ND	Pass
Chromium	0.275	110	ND	Pass
Copper	0.075	30	11.8	Pass
Lead	0.0025	0.5	0.1	Pass
Mercury	0.0005	0.1	ND	Pass
Nickel	0.01	2	0.2	Pass
Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.				

Micro by Petri & qPCR		Pass		Date Completed: 03/13/2023 9:37 am	
	Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
	Aspergillus flavus Qualitative	0	0	Not Detected	Pass
	Aspergillus fumigatus Qualitative	0	0	Not Detected	Pass
	Aspergillus niger Qualitative	0	0	Not Detected	Pass
	Aspergillus terreus Qualitative	0	0	Not Detected	Pass
	Salmonella Qualitative	0	0	Not Detected	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above. Amended to include definition of THC.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com License #: OCM-PPCL-2022-00007





Micro by Petri & qPCR		Pass		Date Completed: 03/13/2023 9:37 am	
	Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
	Shiga Toxin-Producing E. coli Qualitative	0	0	Not Detected	Pass
	Total Aerobic Bacteria	10		212000	Pass
	Total Yeast & Mold	10		18000	Pass
Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. Due to COA validation limitations : "Not Defand "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence".				validation limitations: "Not Detected" = "Absent"	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above. Amended to include definition of THC.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com License #: OCM-PPCL-2022-00007



